

BIBLIOGRAPHY

- Ammon, H.P.T., Anazodo, M.I., Safayhi, H., Dhawan, B.N. and Srimal, R.C. 1992. Curcumin: A potent inhibitor of leukotriene B₄ formation in rat peritoneal polymorphonuclear neutrophils (PMNL). *Planta Medica*. 58: 226.
- Ammon, H.P.T., Safayhi, H., Mack, T. and Sabieraj, J. 1993. Mechanism of antiinflammatory actions of curcumin and boswellic acids. *Journal of Ethnopharmacology*. 38: 113-119.
- Ammon, H.P.T. and Wahl, M.A. 1991. Pharmacology of *Curcuma longa*. *Planta Medica*. 57: 1-7.
- Anto, R.J., Kuttan, G., Babu, K.V.D., Rajasekharan, K.N. and Kuttan, R. 1996. Anti-tumor and free radical scavenging activity of synthetic curcuminoids. *International Journal of Pharmaceutics*. 131: 1-7.
- Apisariyakul, A., Vanittanakom, N. and Buddhasukh, D. 1995. Antifungal activity of turmeric oil extracted from *Curcuma longa* (Zingiberaceae). *Journal of Ethnopharmacology*. 49: 163-169.
- Araujo, C.C. and Leon, L.L. 2001. Biological activities of *Curcuma longa* L. *Memorias Do Instituto Oswaldo Cruz* 96: 723-728.
- Aruoma, O.I. 1994. Nutrition and health aspects of free radicals and antioxidants. *Food and Chemical Toxicology*. 32: 671- 683.

- Asian countries. 1993. Standard of Asian Herbal Medicine. Jakarta: Aksara Buana Printing.
- Bandoniene, D., Murkovic, M., Pfannhauser, W., Venskutonis, P.R. and Gruzdiene, D. 2002. Detection and activity evaluation of radical scavenging compounds by using DPPH free radical and on-line HPLC-DPPH methods. *European Food Research Technology*. 214: 143-147.
- Barthelemy, S., Vergnes, L., Moynier, M., Guyot, D., Labidalle, S. and Bahraoui, E. 1998. Curcumin and curcumin derivatives inhibit Tat-mediated transactivation of type 1 human immunodeficiency virus long terminal repeat. *Research in Virology*. 149: 43-52.
- Basu, B. D. 1980. Indian Medicinal plants. Delhi: Jayyed Press.
- Betty, P.J. and Derek, W.S. 1974. Powdered Vegetable Drugs. London: Stanley Thornes Ltd.
- Bille, N., Laren, J.C., Harsen, E.V. and Wurtzen, G. 1985. Subchronic oral toxicity of turmeric oleoresin in pigs. *Food and Chemical Toxicology*. 23: 967-973.
- Bilia, A.N., Bergonzi, M.C., Morgenni, F., Mazzi, G. and Vincieri, F.F. 2001. Evaluation of chemical stability of St. John's wort commercial extract and some preparations. *International Journal of Pharmaceutics*. 213: 199-208.
- Bisset, N.G. 1994. Herbal Drugs and Phytopharmaceuticals : A Handbook for practice on scientific basis. Stuttgart: Medpharm Scientific Publishers.
- Blois, M.S. 1958. Antioxidant determination by use of a stable free radical. *Nature*. 4617: 1198-1200.

- Bong, P.H. 2000. Spectral and photophysical behaviors of curcumin and curcuminoids. *Bulletin Korean Chemistry Society*. 21: 81-86.
- Bonte, F., Noel-Hudson, M.S., Wepierre, J. and Meybeck, A. 1997. Protective effect of curcuminoids on epidermal skin cells under free oxygen radical stress. *Planta Medica*. 63: 265-266.
- Brand-Williams, W., Cuvelier, M.E. and Berset, C. 1995. Use of a free radical method to evaluate antioxidant activity. *Food Science and Technology* 28: 25-30.
- Carolina, M. N., Fabio, T. S., Elianu, B and Povh, N.P. 2003. Extraction of essential oil and pigments from *Curcuma longa* L. by steam distillation and extraction with volatile solvents. *Journal of Agricultural and Food Chemistry*. 51: 6802-6807.
- Carron, M.C., Mill, M., Whittaker, A.J. Sunny, D. and Verghese, T.P. 1995. Comparison of the monoterpenes derived from green leaves and fresh rhizomes of *Curcuma longa* L. from India. *Flavour and Fragrance Journal*. 10: 355-357.
- Carstensen, J.T. and Rhodes, C.T. 2000. Drug Stability. 3rd edition. New York: Marcel Dekker.
- Chan, M.M.Y. 1995. Inhibition of tumor necrosis factor by curcumin, a phytochemical. *Biochemical Pharmacology*. 49: 1551-1556.
- Chandra, D. and Gupta, S.S. 1972. Antiinflammatory and antiarthritic activity of volatile oil of *Curcuma longa* (Haldi). *Indian Journal of Medical Research*. 60:138-142.

- Chatterjee, S., Padwal-Desai, S.R. and Thomas, P. 1998. Effect of γ -irradiation on the colour power of turmeric (*Curcuma longa*) and red chillies (*Capsicum annum*) during storage. *Food Research International*. 31: 625-628.
- Chatterjee, S., Variyar, P.S., Gholap, A., Padwal-Desai, S.R. and Bongirwar, D.R. 2000. Effect of γ -irradiation on the volatile oil constituents of turmeric (*Curcuma longa*). *Food Research International* 33, 103-106.
- Chavalittumrong, P. and Dechatiwongse, T. 1988. Quality evaluation of turmeric *Thai Journal Pharmaceutical Sciences*. 13: 317-327.
- Chavalittumrong, P. and Jirawattanapong, W. 1992. Variation of active constituents of *Curcuma domestica* rhizomes at different ages. *Thai Journal Pharmaceutical Sciences*. 16: 165-174.
- Chosdu, R. Erizal, I. T. and Hilmy, H. 1995. The effect of gamma irradiation on curcumin component of *Curcuma domestica*. *Radiation Physics and Chemistry*. 46: 663-667.
- Cimanga, K., Kambu, K., Tona, L., Apers, S. Bruyne, T.D., Hermans, N., Totte, J., Pieters, L. and Vlietinck, A.J. 2002. Correlation between chemical composition and antibacterial activity of essential oils of some aromatic medicinal plants growing in the Democratic Republic of Congo. *Journal of Ethnopharmacology*. 79: 213-220.
- Cuvelier, M.E., Richard, H. and Berset, C. 1996. Antioxidative activity and phenolic composition of pilot-plant and commercial extracts of sage and rosemary. *Journal of American Oil Chemical Society*. 73: 645-652.

- Das, K.C. and Das, C.K. 2002. Curcumin (diferuloylmethane), a singlet oxygen ($^1\text{O}_2$) quencher. *Biochemical and Biophysical Research Communications*. 295: 62-66.
- Eigner, D. and Scholz, D. 1999. *Ferula asa-foetida* and *Curcuma longa* in traditional medical treatment and diet in Nepal. *Journal of Ethnopharmacology*. 67: 1-6.
- Evan, W. C. 2002. Pharmacognosy. 15th edition. London: Harcourt Publisher Limited.
- Evans, P. and Halliwell, B. 2001. Micronutrients: oxidant status. *British Journal of Nutrition*. 85: 67-74.
- Farnsworth, R. N. and Bunapraphatsara, N. 1992. Thai Medicinal Plants. Bangkok: Prachachon.
- Godkar, P.B., Narayanan, P. and Bhide, S.V. 1996. Hypocholesterolemic effect of turmeric extract on swiss mice. *Indian Journal of Pharmacology*. 28: 171-174.
- Golding, B.T. and Pombo, V.E. 1992. Structures of alpha- and beta- turmerone. *Journal of the Chemical Society*. 12: 1519-1524.
- Gonda, R., Takeda, K., Shimizu, N., and Tomoda, M. 1992. Characterization of a neutral polysaccharide having activity on the reticuloendothelial system from the rhizome of *Curcuma longa*. *Chemical & Pharmaceutical Bulletin*. 40: 185-188.

- Gonda, R., Tomoda, M., Shimizu, N. and Kanari, M. 1990. Characterization of polysaccharides having activity on the reticuloendothelial system from the rhizome of *Curcuma longa*. *Chemical & Pharmaceutical Bulletin*. 38: 482-486.
- Gopalan, B., Goto, M., Kodama, A. and Hirose, T. 2000. Supercritical Carbon dioxide extraction of turmeric (*Curcuma longa*). *Journal of Agricultural and Food Chemistry*. 48: 2189-2192.
- Govindarajan, V.S. 1980. Turmeric-chemistry, technology and quality. *Food Science and Nutrition*. 12: 199-301.
- Guha, S.N., Priyadarsini, K.I., Devasagayam, T.P.A., Sreejayan and Rao, M.N.A. 1997. Hydroxyl radical reactions of (4-hydroxy, 3-methoxy-5-bromophenyl) pentenone, a curcuminoid antioxidant. *Radiation Physics and Chemistry*. 49: 43-46.
- Gupta, S.K., Banerjee, A.B. and Achari, B. 1976. Isolation of Ethyl p-methoxycinnamate, the major antifungal principle of *Curcuma zedoaria*. *Lloydia*. 39: 218-222.
- He, X.G., Lin, L.Z., Lian, L.Z. and Lindenmaier, M. 1998. Liquid chromatography-electrospray mass-spectrometric analysis of curcuminoids and sesquiterpenoids in turmeric (*Curcuma longa*). *Journal of Chromatography A*. 818: 127-132.
- Hikino, H., Agatsuma, K. and Takemoto, T. 1968. Structure of curzerenone, epicurzerenone, and isofuranogermacrene (curzerene). *Tetrahedron Letter*. 24: 2855-2858.

- Hikino, H., Konno, C., Agatsuma, K., Takemoto, T., Horibe, I., Tori, K., Ueyama, M. and Takeda, K. 1975. Structure, configuration, conformation and thermal rearrangements of furanodienone, isofuranodienone, curzerenone, epicurzerenone and pyrocurzerenone, sesquiterpenoids of *Curcuma zedoaria*. *Journal of Chemical Society*. 1: 478-484.
- Hiserodt, R., Hartman, T.G., HO, C.T. and Rosen, R.T. 1996. Characterization of powdered turmeric by liquid chromatography-mass spectrometry and gas chromatography-mass spectrometry. *Journal of Chromatography A*. 740: 51- 63.
- Holder, G.M., Plummer, J.L. and Ryan, A.J. 1978. The metabolism and excretion of curcumin (1,7-Bis-(4-hydroxy-3-methoxyphenyl)-1,6-heptadiene-3,5-dione) in the rat. *Xenobiotica*. 8: 761-768.
- Hong, C.H., Hur, S.K., Oh, O.J., Kim, S.S., Nam, K.A. and Lee, S.K. 2002. Evaluation of natural products on inhibition of inducible cyclooxygenase (COX-2) and nitric oxide synthase (iNOS) in cultured mouse macrophage cells. *Journal of Ethnopharmacology*. 83: 153-159.
- Hong, H.C., Kim, Y. and Lee S.K. 2001. Sesquiterpenoids from the rhizome of *Curcuma zedoaria*. *Archives of Pharmaceutical Research*. 24: 424-426.
- Hong, H.C., Noh, M.S., Lee, W.Y. and Lee, S.K. 2002. Inhibitory effects of natural sesquiterpenoids isolated from the rhizomes of *Curcuma zedoaria* on prostaglandin E₂ and nitric oxide production. *Planta Medica*. 68: 545-547.

- Hooker, C.B. 1894. *Flora of British India*. Volume 6. London: William Clower and Sons, Ltd.
- Horn, V. and Weil, C. 1996. *The Encyclopedia of Medicinal Plants*. Milan: New Interlitho.
- Huang, K.C. 1993. *The Pharmacology of Chinese Herbs*. Florida: CRC press.
- Huang, M.T., Ma, W., Yen, P., Xie, J.G., Han, J., Frenkel, K., Grunberger, D. and Conney, A.H. 1997. Inhibitory effects of topical application of low doses of curcumin on 12-*O*-tetradecanoylphorbol-13-induced tumor promotion and oxidized DNA bases in mouse epidermis. *Carcinogen*. 18: 83-88.
- ICH Working Group. 2000. Stability testing of new drug substances and products, guideline Q1A.
- Imai, S., Morikiyo, M., Furihata, K., Hayakawa, Y. and Seto, H. 1990. Turmeronol A and turmeronol B, new inhibitors of soybean lipoxygenase. *Agricultural and Biological Chemistry*. 54: 2367-2371.
- Jayaprakasha, G.K., Selvi, T. and Sakariah, K.K. 2003. Antibacterial and antioxidant activities of grape (*Vitis vinifera*) seed extracts. *Food Research International*. 36: 117-122.
- Jovanovic, S.V., Boone, C.W., Steenken, S., Manuela, T. and Kaskey, R.B. 2001. How curcumin works preferentially with water soluble antioxidants. *Journal of American Chemical Society*. 123: 3064-3068.

- Kang, H.S., Chung, H.Y., Jung, J.H., Kang, S.S., and Choi, J.S. 1997. Antioxidant effect of *Salvia miltiorrhiza*. *Archives of Pharmaceutical Research*. 20: 496-500.
- Katiyar, S.K., Mukhtar, H. 1997. Tea antioxidants in cancer chemoprevention. *Journal of Cellular Biochemistry*. 27: 59-67.
- Khar, A., Ali, A.M., Pardhasaradhi, B.V.V., Begun, Z. and Anjum, R. 1999. Antitumor activity of curcumin is mediated through the induction of apoptosis in AK-5 tumor cells. *FEBS*. 445: 165-168.
- Khurana, A. and Ho, C. 1988. High performance liquid chromatographic analysis of curcuminoids and their photooxidative decomposition compounds in *Curcuma longa* L. *Journal of Liquid Chromatography*. 11: 2295-2304.
- Kim, K.I., Kim, J.W., Hong, B.S., Shin, D.H., Cho, H.Y., Kim, H.K. and Yang, H.C. 2000. Antitumor, genotoxicity and anticlastogenic activities of polysaccharide from *Curcuma zedoaria*. *Molecules and Cells*. 10: 392-398.
- Kirtikar, K. R. and Basu, B. B. 1980. Indian Medicinal Plants. Volume 4. Dehi: Jayyed Press.
- Kiso, Y., Suzuki, Y., Oshima, Y. and Hikino, H. 1983. Stereostructure of curlone, a sesquiterpenoids of *Curcuma longa* rhizomes. *Phytochemistry*. 22: 596-597.
- Kiso, Y., Suzuki, Y., Watanabe, N., Oshima, Y. and Hikino, H. 1983. Antihepatotoxic principles of *Curcuma longa* rhizomes. *Planta Medica* 49: 185-187.

- Kiuchi, F., Goto, Y., Sugimoto, N., Akao, N., Kondo, K. and Tsuda, Y. 1993. Nematocidal activity of turmeric: synergistic action of curcuminoids. *Chemical & Pharmaceutical Bulletin*. 41: 1640-1643.
- Kouno, I. and Kawano, N. 1985. Structure of a guanine from *Curcuma zedoaria*. *Phytochemistry*. 24: 1845-1847.
- Kuttan, R., Bhanumathy, P., Nirmala, K. and George, M.C. 1985. Potential anticancer activity of turmeric (*Curcuma longa*). *Cancer Letters*. 29: 197-202.
- Lee, H. and Lin, J.Y. 1988. Antimutagenic activity of extracts from anticancer drugs in Chinese medicine. *Mutation Research*. 204: 229-234.
- Lee, S.K., Hong, C.H., Huh, S.K., Kim, S.S., Oh, O.J., Min, H.Y., Park, K.K., Chung, W.Y. and Hwang, J.K. 2002. Suppressive effect of natural sesquiterpenoids on inducible cyclooxygenase-2 (COX-2) and nitric oxide synthase (iNOS) activity in mouse macrophage cells. *Journal of Environmental Pathology, Toxicology and Oncology*. 21: 141-148.
- Lin, Y.L., Juan, I.M., Chen, Y.L., Liang, Y.C. and Lin, J.K. 1996. Composition of polyphenols in fresh tea leaves and associations of their oxygen-radical-absorbing capacity with antiproliferative actions in fibroblast cells. *Journal of Agricultural and Food Chemistry*. 44: 1387-1394.
- Lissi, E.A., Modak, B., Torres, R. and Urzua, A. 1999. Total antioxidant potential of resinous exudates from *Heliotropium* species and a comparison of the ABTS and DPPH methods. *Free Radical Research*. 30: 471-47.

- Loewengfield, C. and Bach, P. 1974. The Complete Book of Herbs and Spices. Vermont: Reywood Burn Ltd.
- Lorian, V. 1996. Antibiotics in Laboratory Medicine. 4th edition. Baltimore: Williams & Wilkins.
- Lutomski, J., Kedzia of, B. and Debska, W. 1974. Effect an alcohol extract and active ingredients from *Curcuma longa* on bacteria and fungi. *Planta Medica*. 26: 9-19.
- Maga, J.A. and Kim, C.H. 1990. Stability of natural colorants annatto, beet, paprika, turmeric during extrusion cooking. *Food Science and Technology*. 23: 427-432.
- Martins, A.P., Salgueiro, L., Goncalves, M.J. Cunha, A.P., Vila, R., Canigueral, S., Mazzoni, V, Tomi, F. and Casanova, J. 2001. Essential oil composition and antimicrobial activity of three zingiberaceae from S. Tomé e Príncipe. *Planta Medica*. 67: 580-584.
- Masuda, T., Jitoe, A., Isobe, J. Nakatani, N. and Yonemori, S. 1993. Antioxidative and anti-inflammatory curcumin-related phenolics from rhizomes of *Curcuma domestica*. *Phytochemistry*. 32: 1557-1560.
- Masuda, T., Mackawa, T., LLidaka, K., Lliromi, B., Takeda, Y. and Yamaguchi, L. 2001. Chemical studies on antioxidant mechanism of curcumin: analysis of active coupling products from curcumin and linoleate. *Journal of Agricultural and Food Chemistry*. 49: 2539-2547.

- Mathiesen, L., Malterud, K.E. and Sund, R.B. 1995. Antioxidant activity of fruit exudate and C-methylated dihydrochalcones from *Myrica gale*. *Planta Medica*. 61: 515-518.
- Matsuda, H., Morikawa, T., Ninomiya, K. and Yoshikawa, M. 2001a. Hepatoprotective constituents from zedoariae rhizoma: absolute stereostructures of three new carabrane-type sesquiterpenes, curcumenolactones A, B and C. *Bioorganic & Medicinal Chemistry*. 9: 909-916.
- Matsuda, H., Morikawa, T., Ninomiya, K. and Yoshikawa, M. 2001b. Carabrane-type sesquiterpene and vasorelaxant-active sesquiterpenes from zedoariae rhizoma. *Tetrahedron*. 57: 8443-8453.
- Matsuda, H., Morikawa, T., Toguchida, I., Ninomiya, K. and Yoshikawa, M. 2001. Medicinal Foodstuffs. XXVIII. Inhibitors of nitric oxide production and new sesquiterpenes, zedoarofuran, 4-epicurcumenol, neocurcumenol, gajutsulactones A, and B, zedoarolides A and B, from zedoariae rhizoma. *Chemical & Pharmaceutical Bulletin*. 49: 1558-1566.
- Matsuda, H., Ninomiya, K., Morikawa, T. and Yoshikawa, M. 1998. Inhibitory effect and action mechanism of sesquiterpenes from zedoariae rhizoma on D-galactosamine/lipopolysaccharide-induced liver injury. *Bioorganic & Medicinal Chemistry Letters*. 8: 339-344.
- Mau, J.L., Lai, E.Y.C., Wang, N.P., Chen, C.C., Chang, C.H. and Chyau, C.C. 2003. Composition and antioxidant activity of the essential oil from *Curcuma zedoaria*. *Food Chemistry*. 82: 583-591.

- Mazumder, A., Raghavan, K., Weinstein, J., Kohn, K.W. and Pommier, Y. 1995. Inhibition of human immunodeficiency virus type-1 integrase by curcumin. *Biochemical Pharmacology*. 49: 1165-1170.
- McCarron, M., Mills, A.J., Whittaker, D., Sunny, T.P. and Verghese, J. 1995. Comparison of the monoterpenes derived from green leaves and fresh rhizomes of *Curcuma longa* L. from India. *Flavour and Fragrance Journal*. 10: 355-357.
- McCune, L.M. and Johns, T. 2002. Antioxidant activity in medicinal plants associated with the symptoms of diabetes mellitus used by the indigenous peoples of North American boreal forest. *Journal of Ethnopharmacology*. 82: 197-205.
- Ministry of Public Health, 1998. Thai Herbal Pharmacopoeia. Volume 1. Department of Medical Sciences. Bangkok: Prachachon.
- Miquel, J., Bernd, A., Sempere, J.M., Diaz-Alperi, J. and Ramirez, A. 2002. The curcuma antioxidants: pharmacological effects and prospects for future clinical use. A review. *Archives of Gerontology and Geriatrics* 34: 37-46.
- Morikawa, T., Matsuda, H., Ninomiya, K. and Yoshikawa, M. 2002. Medicinal Foodstuffs. XXIX. Potent protective effects of sesquiterpenes and curcumin from zedoariae rhizoma on liver injury induced by D-galactosamine/lipopolysaccharide or tumor necrosis factor- α . *Biology and Pharmaceutical Bulletin*. 25: 627-631.

- Munnasiri, M.A., Parte, M.N., Ghanekar, A.S., Sharma, A., Padwal-Desai, S.R. and Nadkarni, G.B. 1987. Sterilization of ground prepacked Indian spices by gamma irradiation. *Journal of Food Science*. 52: 823-826.
- Nanjo, F., Goto, K., Seto, R., Suzuki, M., Sakai, M. and Hara, Y. 1996. Scavenging effects of tea catechins and their derivatives on 1,1-diphenyl-2-picrylhydrazyl radical. *Free radical Biology and Medicine*. 21: 895-902.
- Navarro, D.D.F., Souza, M.M., Neto, R.A., Golin, V., Niero, R., Yunes, R.A., Delle, M. and Cechinel, F. 2002. Phytochemical analysis and analgesic properties of *Curcuma zedoaria* grown in Brazil. *Phytomedicine*. 9: 427-432.
- Negi, P.S., Jayaprakasha, G.K. Rao, L.J.M. and Sakariah. 1999. Antibacterial activity of turmeric oil: a byproduct from curcumin manufacture. *Journal of Agricultural and Food Chemistry*. 47: 4297-4300.
- Oshiro, M., Kuroyanaki, M. and Ueno, A. 1990. Structures of sesquiterpenes from *Curcuma longa*. *Phytochemistry*. 29: 2201-2205.
- Palombo, E. A. and Semple, S.J. 2001. Antibacterial activity of traditional Australian medicinal plants. *Journal of Ethnopharmacology*. 77: 151-157.
- Parry, J.W. 1969. Spices. Volume 2. New York: Chemical Publishing Company.
- Perry, L.M. 1980. Medicinal Plants of East and Southeast Asia. Cambridge: The MIT Press.
- Pfeiffer, E., Hohle, S., Solyom, A.M. and Metzler, M. 2003. Studies on the stability of turmeric constituents. *Journal of Food Engineering*. 56: 257-259.

- Potetrat, O. 1997. Antioxidants and free radical scavengers of natural origin. *Current Organic Chemistry*. 1:415.
- Price, L.S. and Buescher, R.W. 1996. Decomposition of turmeric curcuminoids as affected by light, solvent and oxygen. *Journal of Food Biochemistry*. 20: 125-133.
- Price, L.S. and Buescher, R.W. 1997. Kinetics of Alkaline degradation of food pigments curcumin and curcuminoids. *Journal of Food Science*. 62: 267-269.
- Purseglove, J.W., Brown, E.G., Green, C.L. and Robin, S.R.J. 1981. Spices. Volume 2. New York: Longman Inc.
- Rafatullah, S., Tariq, M., Al-Yahya, M.A., Mossa, J.S. and Ageel, A.M. 1999. Evaluation of turmeric (*Curcuma longa*) for gastric and duodenal antiulcer activity in rats. *Journal of Ethnopharmacology*. 29: 25-34.
- Ramirez-Bosca, A., Soler, A., Carrion, M.A., Diaz-Alperi, J., Bernd, A., Quintanilla, C., Quintanilla, A. and Miquel, J. 2000. An hydroalcoholic extract of *Curcuma longa* lowers the apo B/apo A ratio. Implications for atherogenesis prevention. *Mechanisms of Ageing and Development*. 119: 41-47.
- Rao, B.R.R., Kaul, P.N., Mallavarapu, G.R. and Ramesh, S. 1996. Effect of seasonal climatic changes on biomass yield and terpenoid composition of rose-scented geranium (*Pelargonium* species). *Biochemical Systematics and Ecology*. 24: 627-635.

- Rao, D.S., Sekhara, N.C., Satyanarayana, M.N. and Srinivasan, M. 1970. Effect of curcumin on serum and liver cholesterol levels in the rat. *Journal of Nutrition*. 100: 1307-1315.
- Rapport, L. and Lockwood, B. 2002. Nutraceuticals. London: Pharmaceutical press.
- Rasmussen, H.B., Christensen, S.B., Kvist, L.P. and Karazmi, A. 2000. A simple and efficient separation of the curcumins, the antiprotozoal constituents of *Curcuma longa*. *Planta Medica*. 66: 396-398.
- Reddy, A.C. and Lokesh, B.R. 1994. Effect of dietary turmeric (*Curcuma longa*) on iron-induced lipid peroxidation in the rat liver. *Food and Chemical Toxicology*. 32: 279-283.
- Richmond, R. and Pombo, V.E. 1997. Gas chromatography-mass spectrometry coupled with pseudo-sadtler retention indices, for the identification of components in the essential oil of *Curcuma longa* L. *Journal of Chromatography A*. 760: 303-308.
- Ruby, A.J., Kuttan, G., Dinesh B.K.V., Rajasekharan, K.N. and Kuttan, R. 1995. Antioxidant activity of natural curcuminoids. *Cancer Letter*. 94: 79-83.
- Sakui, N., Huroyanagi, M., Ishitobi, Y., Sato, M. and Ueno, A. 1992. Biotransformation of sesquiterpenes by cultured cells of *Curcuma zedoaria*. *Phytochemistry*. 31: 143-147.

- Sambaiah, K., Katankumar, S, Kamanna, V. S., Satyanarayana, M.N. and Rao, M. V.L. 1982. Influence of turmeric and curcumin on growth, blood constituents and serum enzymes in rats. *Journal of Food Science and Technology*. 19: 188-190.
- Saralamp, P., Chuakul, W., Temsiririkkul, R. and Clayton, T. 2000. Medicinal Plants in Thailand. Volume 1. Bangkok: Amarin Printing and Publishing Public Co. Ltd.
- Scartezzini, P. and Speroni, E. 2000. Review on some plants of Indian traditional medicine with antioxidant activity. *Journal of Ethnopharmacology*. 71: 23-43.
- Shankar, T. N. B., Shantha, N. V. Ramesh, H. P., Murthy, I. A. S. and Murthy, V. S. 1980. Toxicity studies on turmeric (*Curcuma longa*): acute toxicity studies in rat, guinea pigs and monkeys. *Indian Journal of Experimental Biology*. 18: 73-75.
- Shibuya, H., Hamamoto, Y., Cai, Y., and Kitagawa, I. 1987. A reinvestigation of the structure of zederone, a furanogermacrane-type sesquiterpene from zedoary. *Chemical & Pharmaceutical Bulletin*. 35: 924-927.
- Shiobara, Y., Asakawa, Y., Kodama, M., Yasuda, K. and Takemoto, T. 1985. Curcumenone, curcumanolide A and curcumanolide B, three sesquiterpenoids from *curcuma zedoaria*. *Phytochemistry*. 24: 2629-2633.
- Sies, H. and Stahl, W. 1995. Vitamins E and C, β -carotene, and other carotenoids as antioxidants. *American Journal of Clinical Nutrition*. 62: 1315-13221.

- Simon, A., Allais, D.P., Duroux, J.L., Basly, J.P., Durand-Fontanier, S. and Delage, C. 1998. Inhibitory effect of curcuminoids on MCF-7 cell proliferation and structure-activity relationships. *Cancer Letters*. 129: 111-116.
- Singh, G., Singh, O.M. and Maurya, S. 2002. Chemical and biocidal investigations on essential oils of some Indian *Curcuma* species. *Progress in Crystal Growth and Characterization of Materials*. 45: 75-81.
- Soares, J.R., Dinis, T.C.P., Cunha, A.P. and Almeida, L.M. 1997. Antioxidant activity of some extracts of *Thymus zygis*. *Free Radical Research*. 26: 469-478.
- Soudamini, K.K. and Kuttan, R. 1989. Inhibition of chemical carcinogenesis by curcumin. *Journal of Ethnopharmacology*. 27: 227-233.
- Souza, C.R.A., Osme, S.F and Gloria, M.B.A. 1997. Stability of curcuminoids pigments in model systems. *Journal of Food Processing and Preservation*, 21: 353-363.
- Srimal, R.C. and Dhawan, B.N. 1973. Pharmacology of diferuloyl methane (curcumin), a non-steroidal anti-inflammatory agent. *Journal of Pharmacy and Pharmacology*. 25: 447-452.
- Srinivas, L., Shalini, V.K. and Shylaja, M. 1992. Turmerin: a water soluble antioxidant peptide from turmeric *Curcuma longa*. *Archives of Biochemistry and Biophysics*. 292: 617-623.

- Srinivasan, K., Sambaiah, K. and Chandrasekhara, N. 1992. Loss of active principles of common spices during domestic cooking. *Food Chemistry*. 43: 271-274.
- Srivastava, R. and Srimal, R.C. 1985. Modification of certain inflammation-induced biochemical changes by curcumin. *Indian Journal of Medical Research*. 81: 215-223.
- Su, H.C.F., Horvat, R. and Jilani, G. 1982. Isolation, purification, and Characterization of insect repellents from *Curcuma longa*. *Journal of Agricultural and Food Chemistry*. 30: 290-292.
- Syu, W.J., Shen, C.C., Don, M.J., Ou, J.C., Lee, G.H. and Sun, C.M. 1998. Cytotoxicity of curcuminoids and some novel compounds from *Curcuma zedoaria*. *Journal of Natural Product*. 61: 1531-1534.
- Tang, W. and Eisenbrand, G. 1992. Chinese Drugs of Plant Origin. Berlin: Springer-Verlag.
- Tewtrakul, S. 1993. Curcuminoid and Volatile oil Determination in Turmeric from Various Locations in Thailand. Master of Science Thesis. Chulalongkorn University.
- Tijburg, L.B.M., Mattern, T., Folts, J.D., Weisgerber, U.M. and Katan, M.B., 1997. Tea flavonoids and cardiovascular diseases: a review. *Food Science and Nutrition*. 37: 771-785.
- Tisserand, R. and Balaces, T. 1995. Essential Oils Safety. Glasgow: Bell and Brain Ltd.

- Thomas, M.J. 2000. The role of free radicals and antioxidants. *Nutrition*. 16: 716-718.
- Tønnessen, H.H. and Greenhill, J.V. 1992. Curcumin as a reducing agent and as a radical scavenger. *International Journal of Pharmaceutics*. 87: 79-87.
- Tønnessen, H.H., Másson, M. and Loftsson, T. 2002. Studies of curcumin and curcuminoids. XXVII. Cyclodextrin complexation: solubility, chemical and photochemical stability. *International Journal of Pharmaceutics*. 244: 127-135.
- Turnbull, P.C.B. and Kramer, J.M. 1991. *Manual of Clinical Microbiology*. 5th edition. Washington, D.C: American Society for Microbiology.
- Vaisan, A., Nirmala, M., Madhusudana, R., Narayana, C. S. and Methew, A. G. 1989. Chemical analysis of some cultivars of *Curcuma longa* L. *Journal of Food Science and Technology*. 26: 293-295.
- Vijayalaxmi. R. 1980. Genetic effects of turmeric and curcumin in mice and rats. *Mutation Research*. 79: 125-132.
- Wade, A. and Weller, P.J. 1994. *Handbook of Pharmaceutical Excipient*. 2nd edition. London: Royal Pharmaceutical Society.
- Wahlstrom, B.O. and Blennow, G.A. 1978. A study on the fate of curcumin in the rat. *Acta Pharmacology and Toxicology*. 43: 86-92.
- Wang, Y.J., Pan, M.H., Cheng, A.L., Lin, L.I., Ho, Y.S., Hsieh, C.Y. and Lin, J.K. 1997. Stability of curcumin in buffer solutions and characterization of its degradation products. *Journal of Pharmaceutical and Biomedical Analysis*. 15: 1867-1876.

- Wettasingha, M. and Shahidi, F. 1999. Antioxidant and free radical scavenging properties of ethanolic extracts of defatted borage (*Borago officinalis* L.) seeds. *Food Chemistry*. 67: 399-414.
- Wisemn, S.A., Balentine, D.A, Frei, B. 1997. Antioxidants in tea. *Food Science and Nutrition*. 37: 705-108.
- World Health organization. 1998. Quality Control Methods for Medicinal Plant Materials. Geneva: World Health organization.
- Yamasaki, K., Hashimoto, A., Kokusenya, Y., Miyamoto, T. and Sato, T. 1994. Electrochemical method for estimating the antioxidative effects of methanol extracts of crude drugs. *Chemical & Pharmaceutical Bulletin*. 42: 1663-1665.
- Yen, G.C. and Duh, P.D. 1994. Scavenging effect of methanolic extracts of peanut hulls on free-radical and active-oxygen species. *Journal of Agricultural and Food Chemistry*. 42: 629-632.
- Yoshihara, M., Shibuya, H., Kitano, E., Yanakgi, K. and Kitagawa, I. 1984. The absolute stereostructure of (4S, 5S)-(+)-germacrone 4, 5-epoxide from zedoariae rhizoma cultivated in Yakushima island. *Chemical & Pharmaceutical Bulletin*. 32: 2059-2062.
- Yoshioka, T., Fujii, E., Endo, M., Wada, K., Tokunaga, Y., Shiba, N., Hohsho, H., Shibuya, H. and Muraki, T. 1998. Antiinflammatory potency of dehydrocurdione, a zedoary-derived sesquiterpene. *Inflammation Research*. 47: 476-481.

Yoshikawa, M., Murakami, T., Morikawa, T. and Matsuda H. 1998. Absolute stereostructures of carabrane - type sesquiterpenes, curcumenone, 4S-dihydrocurcumenone, and curcarabranols A and B: vasorelaxant activity of zedoary sesquiterpenes. *Chemical & Pharmaceutical Bulletin*. 46: 1186-1188.